


CLIP FRAME

Technical drawing A



CLIP FRAME : DETAILS & FINISHES



Dimensions


- aluminium structure

Dacryl® 15 mm thickness :
30 x 35 mm / rabbet of 17.3 mm


- Maximum size 2500 x 1000

- Clip-on system of windscreens

Finitions



Anodized
aluminum




Black RAL 9005
Satin finish



Brushed Stainless
Steel Appearance



Bright
Chrome



White
RAL 9010

CLIP FRAME

Technical drawing ref. A

Uses

- . Shower screen
- . Partition walls

Bindings

- . Top-bottom and 1 side
- . Top-bottom and 2 sides
- . Bottom and 1 side + stiffener

Specifics

- . Profile F317 CLIPPER - 30x35 mm
- . Clip-on bumper
- . Dacryl® thickness 15 mm only
- . Only for 1 panel:
Maximum format 2500 x 1000
- . No bending possible
- . Waterproof leds if bathroom

Deliverables

Delivered pre-assembled:

- . Dacryl® panel inserted in frame with temporary glazing beads for transport and installation
- . LED lighting with soldered wire outlet, ready to connect
- . Power supply 220 V for 12v led lighting
- . Definitive closing screens to be installed




Shower screen clip frame, finish: anodized aluminum

CLIP FRAME

Technical drawing ref. A


Description of deliverables



CLIP FRAME

Technical drawing ref. A

General informations



Technical plan product description

