


AMERICAN FRAME PARTITION WALL

Technical plan CCA



AMERICAN FRAME : DETAILS ET FINISHES




Dimensions

- wood structure
for Dacryl® 15 mm thick:
100 x 40 mm / 15 mm rebate
- Maximum size 2500 x 1050

Finishes



Natural oak
(varnish)



Black oak (matt)



Oak Ice (gloss)

Other finishes available on request and on counterplate (RAL...)

AMERICAN FRAME PARTITION WALL

Technical plan ref. CCA

Uses

- Partition walls

Bindings

- Floor/Ceiling
- Freestanding

Specifics

- Wooden frame 40x100 with veneer and rabbet
- Dacryl® thickness 15 or 20 mm only
- Maximum size 2500 x 1050
- No bending possible

Deliverables

Delivered pre-assembled:

- Dacryl® panel inserted in wood frame
- Wooden frame to be fixed to floor and ceiling
- LED lighting with soldered wire outlet laid, ready to connect
- Power supply 220 V for 12v led lighting to be connected



American frame partition wall, finish: natural oak

AMERICAN FRAME PARTITION WALL


Technical plan ref. CCA

Description of deliverables

Wooden frame to be fixed to the floor and ceiling (fixing screws not supplied)

Dacryl® panel delivered in the frame


Led ribbon lighting installed in aluminium profile mounted on the plate with wire exit



AMERICAN FRAME PARTITION WALL

Technical plan ref. CCA

General informations



Technical plan product description

