



DACRYL WOOD

Technical plan W-D



DACRYL WOOD : DETAILS & FINISHES



*Dacryl® panel module
with veneer*

*Aluminium wall mounting
rail for installation of
modules with clips*

*Oak veneer frame - 3
finishes available*

*Clips for fixing the
modules on the rear
panels*


Dimensions

- wood modules
thickness 21 mm : 500 x 500
- modules Dacryl / wood veneer
/ luminous
thickness 21 mm : 500 x 500
- Other module formats available

Finishes



Natural oak
(varnish)



Black oak (matt)




Oak Ice (gloss)

Other finishes available on request and on counterplate (RAL...)

DACRYL WOOD

Technical plan ref. W-D



Dacryl wood, finish: natural oak

Uses

- Wall covering

Bindings

- Surface mounted on rails

Specifics

- Basic modules 500 x 500 with veneer and clip mounting system
- Modules with pattern engraving or logo engraving with integrated lighting
- No bending possible

Deliverables

Delivered pre-assembled:


- Wooden panel modules or Dacryl® panel modules with veneers and clip fastening systems
- Wall mounting system by aluminium rails supplied
- Built-in led lighting with soldered wire outlet, ready to connect
- Power supply 220 V for 12v led lighting

DACRYL WOOD

Technical plan ref. W-D

Description of deliverables

Mounting clips mounted on the back side of the modules for wall rail installation provided



Modules with wood veneer


Dacryl® Wood module delivered with led ribbon lighting integrated and wire outlet Customizable pattern

Aluminium wall mounting rail for clip-on module installation

DACRYL WOOD

Technical plan ref. W-D

General informations



Technical plan product description

