



DACRYL®



LED LIGHTING

# LED LIGHTING BY THE EDGE



## LED Color

- Cold white (6000° k)
- Neutral white (4000° k)
- Warm white (3000° k)
- RGB with color variation
- Life span of the LED :  
50 000 hours

## LED stripes installation

- Double-sided adhesive  
on an aluminium surface  
(flat, profile, angle)

## Options

- Waterproof LED  
for wet rooms
- dimmer / remote control

## Specifics

- LED edge lighting is not suitable  
for digital image inclusions.

## Installation

- Requires a power supply for  
conversion from 220V to 12v/24v  
(low voltage).

# LEDS STRIPES

## Lighting led strips



led ribbon 12v

### Descriptions


LED color

- cold white
- neutral white
- warm white
- dimensions :  
W 10 x H 1.3 x L 5000 mm
- Power / Voltage :  
14.4 W/meters / 12v-24v DC

- LED numbers :  
120 LED/meters - 25 mm sections
- Rolls of length 5m

### Specifics

- LED edge lighting is not suitable for digital image inclusions.
- No installation in a wet environment



## Waterproof led ribbon lighting (IP 65)



Waterproof led ribbon 12v

### Descriptions

- LED color
- cold white
  - neutral white
  - warm white
  - dimensions :  
W 11 x H 4.1 x L 5000 mm
  - Power / Voltage :  
14.4 W/mètres / 12v-24v DC

- LED numbers :  
120 LED/meters - 25 mm sections
- Rolls of length 5m

### Specifics

- LED edge lighting is not suitable for digital image inclusions.
- Installation in a wet environment

